Fleece Stocking Hat

111

EXTENSION **UtahState**University.

Sewing the thread of life.

SEWING AND TEXTILES

extension.usu.edu/sewing

Debra Proctor, M.S., USU Extension Agent, Wasatch County

Ronda Olsen, M.S., USU Extension Agent, Uintah County

Carol Williams, M.S., USU Extension Agent, Piute/Wayne County

Karen Biers, Ph. D., USU Extension Specialist

This pattern is fun because you become the designer. With a few simple guidelines you can make your hat to please your taste. The tail can be longer or shorter. You choose. This pattern has a 3" brim. You can adjust the brim width to suit your preference.

Supplies needed:

- 1 yard fleece fabric (not suitable for border prints)
- Thread to match
- Basic sewing kit
- Pattern paper or newsprint
- Ruler/Yardstick



Determine hat size: Measure head circumference to determine the size of the hat.

Hat Size Table		
Size	Head	Your
	Circumference	Measurement
Toddler	19 inches	
Child	20 inches	
Small Adult	21 inches	
Medium Adult	22 inches	
Large Adult	23 inches	
X-Large Adult	24 inches	

Diagram Key



Fabric preparation:





It is not necessary to pre-wash fleece prior to construction. It does not shrink or loose excess dye.

Step #1

Select hat size from the "Hat Size Table."

Sa Hat Pattern: Draw a pattern on the pattern paper using the dimensions in Figure 1.

 \triangleleft To establish a place where the tassel will be attached, lay the end of a ruler on the fold edge of the pattern. Pull the ruler down the fold until you have a 1 1/4" horizontal line. Mark the line and cut removing the tip.

Step #2

Tassel Pattern: Draw a rectangle measuring 4" x 8". Draw a stitching line across the width of the pattern 1" from the bottom. Draw seven cutting lines along the 8" side, $\frac{1}{2}$ " apart stopping at the 1" mark. See Figure 2.

Sewing clue—When fleece fabric is stretched on the crosswise grain it curls to the wrong side. When fleece fabric is stretched on the lengthwise grain it curls to the right side. Fleece wears better when cut with the right side out.

Cutting instructions:



Step #1

✤ Fleece is generally 59"-60" wide. Fold the fabric so that it measures one-half the width of the hat from the fold to the lengthwise edge as shown in Figure 3.

 \mathfrak{B} Pin the hat pattern on the fabric along the fold. Folding the fabric allows you to get two or three hats from 1 yard. The size of the hat will determine the number of hats you can get from a yard of fabric.

✤ Cut out the fleece hat.

Sewing clue—Fleece fabric is thick. It is helpful to use long pins with large heads such as quilting pins or pins with flat heads.

Step #2

✤ Open the fabric up as shown in Figure 4. Pin the tassel pattern on a single layer of fabric along the lengthwise grain.

♥ Cut out the tassel. Use remaining fabric to make more hats or other items as desired.

Step #3

A Make tassels by cutting the fabric approximately $\frac{1}{2}$ " or by cutting through pattern along the $\frac{1}{2}$ " cutting lines. Cut from the top down to the 1" stitching line as illustrated in Figure 5.

To prevent cutting through the stitching line, place a piece of masking tape along the line.

Sewing clue—Use a rotary cutter, mat, and a straight edge to cut the tassel strips. The use of a decorative blade in the rotary cutter, such as the wave blade or the pinking blade, will add interest to your hat.



Sewing clue—Fleece is a knitted fabric. Therefore, when sewing fleece fabric use a sewing machine needle for knits such as a ballpoint, stretch, or universal needle. A general rule is to use 7 to 9 stitches per inch when you are sewing fleece fabric.



Step #3

 \bigstar Fold the bottom edge of the hat up 3" to the wrong side of the hat to form the hem as shown in Figure 9.

To reduce bulk finger press the seam open.

✤ Stitch the hem in place ¼" from raw edge to create the brim. Turn right side out.

Sewing clue—When sewing on fleece you may find that using an even feed presser foot, a walking foot, or roller foot helps the fabric feed through the sewing machine more smoothly.